




Section G


Cable Assemblies



90° Leadhead (both ends)



5 PLT Leadhead (both ends)



180° Leadhead

Part #	Description	Feet	Leadhead
513-3105	# 1 Black Cable	5	90° One End
513-3115	# 1 Black Cable	5	180° One End
513-3105-1	# 1 Black Cable	5	(5-7 PLT) One End
513-2067	# 1 Black Cable	6	90° Both Ends
513-2075	# 1 Black Cable	8	90° Both Ends
513-2105	# 1 Black Cable	8	180° Both Ends
513-2085	# 1 Black Cable	10	90° Both Ends
513-2115	# 1 Black Cable	10	180° Both Ends
513-3100	# 1 Red Cable	5	90° One End
513-3100-1	# 1 Red Cable	5	(5-7 PLT) One End
513-3116	#1 Red Cable	5	180° One End
513-2066	# 1 Red Cable	6	90° Both Ends
513-2070	# 1 Red Cable	8	90° Both Ends
513-2100	# 1 Red Cable	8	180° Both Ends
513-2080	# 1 Red Cable	10	90° Both Ends
513-2110	# 1 Red Cable	10	180° Both Ends



Section G

Cable Assemblies

Part #	Description	Feet	Leadhead
513-1999	# 2 Black Cable	4	90° One End
513-1999-1	# 2 Black Cable	4	(5-7 PLT) One End
513-2006	# 2 Black Cable	5	90° One End
513-2002	# 2 Black Cable	5	180° One End
513-2006-1	# 2 Black Cable	5	(5-7 PLT) One End
513-2008	# 2 Black Cable	6	90° One End
513-2004	# 2 Black Cable	6	180° One End
513-2008-1	# 2 Black Cable	6	(5-7 PLT) One End
513-2015	# 2 Black Cable	8	90° Both Ends
513-2024	# 2 Black Cable	9	90° Both Ends
513-2025	# 2 Black Cable	10	90° Both Ends
513-2055	# 2 Black Cable	10	180° Both Ends
513-1998	# 2 Red Cable	4	90° One End
513-1998-1	# 2 Red Cable	4	(5-7 PLT) One End
513-2005	# 2 Red Cable	5	90° One End
513-2001	# 2 Red Cable	5	180° One End
513-2005-1	# 2 Red Cable	5	(5-7 PLT) One End
513-2007	# 2 Red Cable	6	90° One End
513-2003	# 2 Red Cable	6	180° One End
513-2007-1	# 2 Red Cable	6	(5-7 PLT) One End
513-2010	# 2 Red Cable	8	90° Both Ends



Section G

Cable Assemblies

Part #	Description	Feet	Leadhead
513-2019	# 2 Red Cable	9	90° Both Ends
513-2020	# 2 Red Cable	10	90° Both Ends
513-2050	# 2 Red Cable	10	180° Both Ends
513-3205	1/0 Black Cable	5	90° One End
513-3215	1/0 Black Cable	5	180° One End
513-3235	1/0 Black Cable	6	180° One End
513-3221	1/0 Black Cable	6	90° One End
513-3241	1/0 Black Cable	7	90° One End
513-3246	1/0 Black Cable	7	180° One End
513-2135	1/0 Black Cable	8	90° Both Ends
513-2165	1/0 Black Cable	8	180° Both Ends
513-2145	1/0 Black Cable	10	90° Both Ends
513-2175	1/0 Black Cable	10	180° Both Ends
513-3200	1/0 Red Cable	5	90° One End
513-3210	1/0 Red Cable	5	180° One End
513-3234	1/0 Red Cable	6	180° One End
513-3220	1/0 Red Cable	6	90° One End
513-3240	1/0 Red Cable	7	90° One End
513-3245	1/0 Red Cable	7	180° One End
513-2130	1/0 Red Cable	8	90° Both Ends
513-2160	1/0 Red Cable	8	180° Both Ends
513-2140	1/0 Red Cable	10	90° Both Ends



Section G

Cable Assemblies

Part #	Description	Feet	Leadhead
513-2170	1/0 Red Cable	10	180° Both Ends
513-2179	2/0 Black Cable	2	90° One End
513-2177	2/0 Black Cable	4	90° One End
513-2181	2/0 Black Cable	5	90° One End
513-3219	2/0 Black Cable	5	180° One End
513-3320	2/0 Black Cable	6	90° One End
513-2183	2/0 Black Cable	6	90° Both Ends
513-3335	2/0 Black Cable	6	180° One End
513-3328	2/0 Black Cable	7	90° One End
513-3341	2/0 Black Cable	7	180° One End
513-2195	2/0 Black Cable	8	90° Both Ends
513-3355	2/0 Black Cable	8	180° One End
513-2225	2/0 Black Cable	8	180° Both Ends
513-2205	2/0 Black Cable	10	90° Both Ends
513-2235	2/0 Black Cable	10	180° Both Ends
513-3364	2/0 Black Cable	12	180° Both Ends
513-2178	2/0 Red Cable	2	90° One End
513-2176	2/0 Red Cable	4	90° One End
513-2180	2/0 Red Cable	5	90° One End
513-3218	2/0 Red Cable	5	180° One End
513-3325	2/0 Red Cable	6	90° One End
513-2182	2/0 Red Cable	6	90° Both Ends



Section G

Cable Assemblies

Part #	Description	Feet	Leadhead
513-3330	2/0 Red Cable	6	180° One End
513-3327	2/0 Red Cable	7	90° One End
513-3340	2/0 Red Cable	7	180° One End
513-2190	2/0 Red Cable	8	90° Both Ends
513-3354	2/0 Red Cable	8	180° One End
513-2220	2/0 Red Cable	8	180° Both Ends
513-2200	2/0 Red Cable	10	90° Both Ends
513-2230	2/0 Red Cable	10	180° Both Ends
513-3363	2/0 Red Cable	12	180° Both Ends
513-3426	3/0 Black Cable	5	180° One End
513-3435	3/0 Black Cable	6	180° One End
513-3433	3/0 Black Cable	8	180° Both Ends
513-3436	3/0 Black Cable	10	180° Both Ends
513-3441	3/0 Black Cable	12	180° Both Ends
513-3425	3/0 Red Cable	5	180° One End
513-3430	3/0 Red Cable	6	180° One End
513-3432	3/0 Red Cable	8	180° Both Ends
513-3437	3/0 Red Cable	10	180° Both Ends
513-3440	3/0 Red Cable	12	180° Both Ends
513-3535	4/0 Black Cable	6	180° One End
513-3555	4/0 Black Cable	8	180° One End



Section G

Cable Assemblies

Part #	Description	Feet	Leadhead
513-3545	4/0 Black Cable	9	180° One End
513-3559	4/0 Black Cable	10	90° Both Ends
513-3557	4/0 Black Cable	10	180° Both Ends
513-3530	4/0 Red Cable	6	180° One End
513-3550	4/0 Red Cable	8	180° One End
513-3544	4/0 Red Cable	9	180° One End
513-3558	4/0 Red Cable	10	90° Both Ends
513-3556	4/0 Red Cable	10	180° Both Ends

Cable Size Reference Chart

<u>Cable Size</u>
4
2
1
1/0
2/0
3/0
4/0
250 MCM

<u>Amp. Hours Capacity</u>
0-150 A.H.
151-374 A.H.
375-510 A.H.
511-680 A.H.
681-850 A.H.
851-1040 A.H.
1041-1500 A.H.
1501-Over A.H.