

POWERHOUSE CHARGERS

Take Charge...Become a Power Specialist



Less Maintenance



Price Point



Reliable
Proven Technology
Industry Standard



Multi-voltage



Real Time Clock



Data – Reporting



Freezer App



California
EC Compliant



Modular Design



Fast Charge



High Efficiency



Opportunity
Charging

EP Series



- ▶ Planar Transformer
- ▶ Economical Choice

EL Series



- ▶ Ferroresonant Technology
- ▶ 100% Battery AH Return in 10 Hours or Less
- ▶ Basic Yet Proven Technology
- ▶ Simple and Reliable

PHP Series



- ▶ Ferroresonant Technology
- ▶ 100% 8 Hour Charger
- ▶ Industry Standard 50+ Years
- ▶ Long Life

EV Series



- ▶ HF Charger Technology
- ▶ Modular Design
- ▶ Front Panel Programming
- ▶ Designed and Manufactured in the USA

Access Series




- ▶ HF Charger Technology
- ▶ Best Battery Choice
- ▶ Multi-Voltage with BMU Pro
- ▶ Programmable from Display or Computer

iHF Series




- ▶ HF Charger Technology
- ▶ Traffic Light Charge Status
- ▶ Modular Design




Express List Charger Matrix

Battery Type	AH Capacity	Conventional/Standard Charging					
		EP Series	EL Series	PHP Series	EV Series	Access Series	iHF Series
6-85-13	510	-	-	-	-	-	-
12-85-7	255	-	-	PHP12-260B1	RV05-4kW-36V	-	CR12HF1-120
12-85-13	510	24V/80A-3	PEL12-600*3	PHP12-510B3	RV05-4kW-36V	24-510-31	CR12HF3-150
12-100-13	600	24V/100A-3	PEL12-600*3	PHP12-600B3	RV05-4kW-36V	24-510-31	CR12HF3-150
12-125-13	750	24V/120A-3	PEL12-750*3	PHP12-750B3	RV05-5kW-36V	24-680-31	CR12HF3-150
12-125-15	875	24V/140A-3	PEL12-865*3	PHP12-865B3	RV05-6kW-36V	24-935-31	CR12HF3-150
18-85-17	680	36V/100A-3	PEL18-750*3	PHP18-750B3	RV05-4kW-36V	36-765-31	CR18HF3-150
18-85-19	765	36V/120A-3	PEL18-750*3	PHP18-750B3	RV05-5kW-36V	36-765-31	CR18HF3-150
18-85-21	850	36V/140A-3	PEL18-865*3	PHP18-865B3	RV05-6kW-36V	36-935-31	CR18HF3-150
18-85-23	935	36V/140A-3	PEL18-965*3	PHP18-965B3	RV05-6kW-36V	36-935-31	CR18HF3-150
18-85-25	1020	36V/160A-3	PEL18-1050*3	PHP18-1050B3	RV05-6kW-36V	36-1045-31	CR18HF3-150
18-85-27	1105	36V/160A-3	PEL18-1200*3	PHP18-1200B3	RV08-8kW-36V	36-1045-31	CR18HF3-150
18-125-11	625	36V/100A-3	PEL18-750*3	PHP18-750B3	RV05-4kW-36V	36-765-31	CR18HF3-150
18-125-13	750	36V/120A-3	PEL18-750*3	PHP18-750B3	RV05-5kW-36V	36-765-31	CR18HF3-150
18-125-15	875	36V/140A-3	PEL18-865*3	PHP18-865B3	RV05-6kW-36V	36-935-31	CR18HF3-150
18-125-17	1000	36V/160A-3	PEL18-1050*3	PHP18-1050B3	RV05-6kW-36V	36-1045-31	CR18HF3-150
24-85-17	680	48V/100A-3	PEL24-750*3	PHP24-750B3	RV05-5kW-48V	48-680-31	CR24HF3-120
24-85-21	850	48V/120A-3	PEL24-865*3	PHP24-865B3	RV05-6kW-48V	48-800-31	CR24HF3-120
24-125-13	750	48V/120A-3	PEL24-750*3	PHP24-750B3	RV05-6kW-48V	48-800-31	CR24HF3-120



Express List Charger Matrix

Battery Type	AH Capacity	Opportunity Charging (OC)		
		EV Series	Access Series	PowerHouse iHF
6-85-13	510	-	-	-
12-85-7	255	RV05-4kW-36V	-	CR12HF3-150
12-85-13	510	RV05-6kW-36V	24-510-31OC	CR12HF3-150
12-100-13	600	RV05-6kW-36V	24-680-31OC	CR12HF3-150
12-125-13	750	RV08-9kW-36V	24-765-33OC	CR12HF3-240
12-125-15	875	RV08-10kW-36V	24-880-33OC	CR12HF3-240
18-85-17	680	RV08-8kW-36V	36-680-31OC	CR18HF3-240
18-85-19	765	RV08-9kW-36V	36-765-33OC	CR18HF3-240
18-85-21	850	RV08-9kW-36V	36-880-33OC	CR18HF3-240
18-85-23	935	RV08-10kW-36V	36-935-32OC	CR18HF3-240
18-85-25	1020	RV12-12kW-36V	36-1045-32OC	CR18HF3-300
18-85-27	1105	RV12-12kW-36V	36-1045-32OC	CR18HF3-300
18-125-11	625	RV05-6kW-36V	36-680-31OC	CR18HF3-240
18-125-13	750	RV08-8kW-36V	36-765-33OC	CR18HF3-240
18-125-15	875	RV08-10kW-36V	36-880-33OC	CR18HF3-240
18-125-17	1000	RV08-12kW-36V	36-1045-32OC	CR18HF3-300
24-85-17	680	RV08-9kW-48V	48-660-33OC	CR24HF3-200
24-85-21	850	RV12-12kW-48V	48-935-32OC	CR24HF3-240
24-125-13	750	RV08-10kW-48V	48-765-32OC	CR24HF3-240



Express List Charger Matrix

Battery Type	AH Capacity	Opportunity Fast Charging (OFC)		
		EV Series	Access Series	PowerHouse iHF
6-85-13	510	-	-	-
12-85-7	255	RV05-4kW-36V	-	CR12HF3-150
12-85-13	510	RV08-9kW-36V	24-510-33FC	CR12HF3-240
12-100-13	600	RV08-10kW-36V	24-600-32FC	CR12HF3-300
12-125-13	750	RV12-13kW-36V	24-765-32FC	CR12HF3-450
12-125-15	875	RV12-15kW-36V	24-880-32FC	CR12HF3-450
18-85-17	680	RV12-12kW-36V	36-765-32FC	CR18HF3-300
18-85-19	765	RV12-13kW-36V	36-765-32FC	CR18HF3-450
18-85-21	850	RV12-15kW-36V	36-880-32FC	CR18HF3-450
18-85-23	935	RV16-18kW-36V	36-1050-32FC	CR18HF3-450
18-85-25	1020	RV16-18kW-36V	36-1050-32FC	CR18HF3-450
18-85-27	1105	RV16-21kW-36V	-	CR18HF3-480
18-125-11	625	RV08-10kW-36V	36-600-32FC	CR18HF3-300
18-125-13	750	RV12-13kW-36V	36-765-32FC	CR18HF3-300
18-125-15	875	RV12-15kW-36V	36-880-32FC	CR18HF3-450
18-125-17	1000	RV16-18kW-36V	36-1050-32FC	CR18HF3-450
24-85-17	680	RV12-14kW-48V	48-600-32FC	CR24HF3-400
24-85-21	850	RV16-18kW-48V	-	CR24HF3-400
24-125-13	750	RV12-15kW-48V	48-765-32FC	CR24HF3-400